## Message

From: Skadowski, Suzanne [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1713ED42E6E244BC9FCD783D4A8D39AB-SKADOWSKI, SUZANNE]

**Sent**: 8/24/2018 3:09:20 PM

To: Grandinetti, Robert [/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=9c73f8984588411fa3df484d6386a013-Grandinetti, Robert]; Poulsom, Susan

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=b1cabf8c84bf410287df98c57fb341bc-Poulsom, Susan

CC: Lidgard, Michael [/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=ceeaae464e754d259a772347572b7956-Lidgard, Michael]; Burgess, Karen

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=9085a27e8d724564890f33d47c72d9d1-Burgess, Karen]; Kenknight, Jeff

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=803cda0c34f14c298367a1c90825ef16-Kenknight, Jeff]; Levo, Brian

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=25404739f3bd46dc95b0de1cfad58bb4-Levo, Brian M.]; Drabek, John

[/o=ExchangeLabs/ou=Exchange Administrative Group

(FYDIBOHF23SPDLT)/cn=Recipients/cn=88dba66dc3c44ee2aff124e86c315668-Drabek, John]

**Subject**: Media query - Kitsap Sun: Naval Base Kitsap wastewater spill

## Hi Rob & folks:

Please help me respond to the reporter's Qs below. I've drafted some replies based on my understanding and info from you all. Please edit and address the Qs as best as you can. I think we mostly do not have complete answers to these Qs, at all or yet, so just do your best.

Thank you! Suzanne

## Suzanne Skadowski

Public Affairs Specialist | Media Relations U.S. Environmental Protection Agency Region 10 Pacific Northwest - Seattle O: 206-553-2160 C: 206-900-3309

From: Stanford, Julianne [mailto:jstanford@kitsapsun.com]

Sent: Thursday, August 23, 2018 4:58 PM

To: Skadowski, Suzanne < Skadowski. Suzanne@epa.gov>

Subject: Media query - Kitsap Sun

Hi Suzanne,

Thanks for bearing with all of my phone calls in the past week!

I'm looking to follow up on the wastewater spill discovered at Naval Base Kitsap last week, and I have a few questions that I hope you might be able to answer:

1) Did any violations of environmental regulations occur with this spill? If so, would I be able to get a copy of the notice of violation?

**EPA:** An unauthorized (unpermitted) discharge of wastewater or other pollution into waters of the U.S., in this case Sinclair inlet, could be a violation of the Clean Water Act. EPA is reviewing the Navy's reported blocked

sewage line break. EPA does not comment on any pending or ongoing compliance or enforcement actions. [but can I say that EPA has not issued a notice of violation?]

2) Is there any sort of penalty for the delay in reporting the spill? Any penalty for potential violations?

**EPA:** The Navy's sewage line is part of the facility's sanitary/domestic wastewater collection system that goes to the Bremerton wastewater treatment plant authorized (permitted) by WA Department of Ecology. The facility's domestic wastewater collection system does not require an EPA permit. Since there is no EPA permit for the Navy's sewage line, the Navy is not required to report a spill from this system to EPA. [Is this accurate? Did they have to notify us under any provision of the CWA or any other rule?] See response #1 above regarding any penalty for potential violations.

3) What is the impact of a spill of that size to the water? What's the risk to the public of potentially being exposed to contaminants in the water for the additional four days after the spill was discovered?

**EPA:** EPA is reviewing the Navy's reported blocked sewage line break and spill. When <u>sanitary sewers</u> malfunction, break or otherwise fail, they can release raw sewage. These types of releases can degrade water quality and expose humans to pathogens and viruses that can cause illness. The specific impacts to the environment or to public health from the Navy's reported blocked sewage line break and spill are unknown at this time.

4) I also wanted to follow up with you in regards to the Navy's wastewater/stormwater/general permits, like we spoke about earlier this week. When I checked the EPA's NPDES permits database online, it looks like PSNS' permit expired in 1999. Would you be able to send me a copy of whatever is their current permit?

**EPA:** The following link includes EPA's National Pollutant Discharge Elimination System (NPDES) final permit and supporting documents for the U.S. DOD Puget Sound Naval Shipyard Wastewater (Stormwater only) Treatment Plant discharging to Sinclair Inlet in Bremerton, Washington. Permit number: WA0002062 Effective date: April 1, 1994 Permit expires: April 1, 1999 (administratively extended) NPDES Permit for Puget Sound Naval Shipyard Wastewater Treatment Plant in Washington


This is an industrial stormwater permit, and the industrial water is separate from the domestic/sanitary wastewater. This permit does not apply to the Navy's reported blocked sewage line break. Also, above the treated steam plant wastewater is their boiler water (how they heat their facilities and generate electricity, essentially hot water). Under this permit the Navy is authorized to discharge drydock drainage and noncontact cooling water from outfalls 018 (including 018A and 096) and 019, treated steam plant wastewater from outfall 021, and stormwater runoff, demineralized water, steam condensate, salt water supply system, and potable water from the remaining outfalls.

The Navy's reported blocked sewage line is part of the Navy's sanitary sewage collection system that goes to the Bremerton wastewater treatment plant authorized (permitted) by WA Department of Ecology.

There are three EPA-issued permits for wastewater treatment plants in that area. The blocked sewage was not enroute to any of these plants:

- Naval Air Station Whidbey Island Seaplane Base Wastewater Treatment plant (jurisdiction with Ecology until Dec. 27, 2018). EPA permit was just issued, effective 12/27/2018).
- Naval Air Station Whidbey Island Ault Field (expired 2/28/2016)
- Naval Base Kitsap Bangor (expired 8/31/2015)

All the best, **Julianne Stanford**Military Affairs reporter, *Kitsap Sun* 



Desk: (360)-475-3792 Cell: (360)-227-9055 istanford@kitsapsun.com Twitter: @jstanford\_news